

TERECHAUX NHL2 - ASTIER 005



**SAFETY DATA SHEET**

(REACH regulation (EC) n° 1907/2006 - n° 2020/878)

---

**SECTION 1 : IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING**

**1.1. Product identifier**

Product name : TERECHAUX NHL2

Product code : ASTIER 005

UFI : NJT2-W0W4-F00P-V0AQ PQY2-909X-U00C-KG9K

**1.2. Relevant identified uses of the substance or mixture and uses advised against**

Lime for construction.

**1.3. Details of the supplier of the safety data sheet**

Registered company name : Chaux de Saint-Astier.

Address : 28 Bis route de Montanceix - La Jarthe.24110.Saint-Astier.France.

Telephone : +33(0)5.53.54.11.25. Fax : +33(0)5.53.04.67.91.

contact@saint-astier.com

www.saint-astier.com

**1.4. Emergency telephone number : +33 (0)1 45 42 59 59.**

Association/Organisation : INRS / ORFILA <http://www.centres-antipoison.net>.

---

**SECTION 2 : HAZARDS IDENTIFICATION**

**2.1. Classification of the substance or mixture**

**In compliance with EC regulation No. 1272/2008 and its amendments.**

Skin irritation, Category 2 (Skin Irrit. 2, H315).

Serious eye damage, Category 1 (Eye Dam. 1, H318).

Specific target organ toxicity (single exposure), Category 3 (STOT SE 3, H335).

This substance does not present a physical hazard. Refer to the recommendations regarding the other products present on the site.

This substance does not present an environmental hazard. No known or foreseeable environmental damage under standard conditions of use.

**2.2. Label elements**

**In compliance with EC regulation No. 1272/2008 and its amendments.**

Hazard pictograms :



GHS05



GHS07

Signal Word :

DANGER

Product identifiers :

EC 285-561-1 LIME CHEMICAL HYDRAULIC

Hazard statements :

H315 Causes skin irritation.

H318 Causes serious eye damage.

H335 May cause respiratory irritation.

Precautionary statements - General :

P102 Keep out of reach of children.

Precautionary statements - Prevention :

P261 Avoid breathing dust

P271 Use only outdoors or in a well-ventilated area.

P280 Wear protective gloves/protective clothing/eye protection/face protection.

Precautionary statements - Response :

P302 + P352 IF ON SKIN: Wash with plenty of soap and water.

P304 + P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing.

**TERECHAUX NHL2 - ASTIER 005**

P305 + P351 + P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P310	Immediately call a POISON CENTER/doctor/...
P332 + P313	If skin irritation occurs: Get medical advice/attention.
Precautionary statements - Disposal :	
P501	Dispose of contents/container in accordance with local regulations.

**2.3. Other hazards**

In use, may form flammable/explosive dust-air mixture.

The substance does not fulfil the PBT or vPvP criteria in accordance with annexe XIII of the REACH regulations EC 1907/2006.

**SECTION 3 : COMPOSITION/INFORMATION ON INGREDIENTS**

**3.1. Substances**

**Composition :**

Identification	Classification (EC) 1272/2008	Note	%
INDEX: 85117_09_5 CAS: 85117-09-5 EC: 285-561-1 REACH: 01-2119475523-36-0006 LIME CHEMICAL HYDRAULIC	GHS07, GHS05 Dgr Skin Irrit. 2, H315 Eye Dam. 1, H318 STOT SE 3, H335		100%

**SECTION 4 : FIRST AID MEASURES**

As a general rule, in case of doubt or if symptoms persist, always call a doctor.

NEVER induce swallowing by an unconscious person.

**4.1. description of first aid measures**

**In the event of exposure by inhalation :**

In the event of massive inhalation of dust, remove the person exposed to fresh air. Keep warm and at rest.

If the person is unconscious, place in recovery position. Notify a doctor in all events, to ascertain whether observation and supportive hospital care will be necessary.

If breathing is irregular or has stopped, effect mouth-to-mouth resuscitation and call a doctor.

**In the event of splashes or contact with eyes :**

Wash thoroughly with fresh, clean water for 15 minutes holding the eyelids open.

Regardless of the initial state, refer the patient to an ophthalmologist and show him the label.

If there is any redness, pain or visual impairment, consult an ophthalmologist.

**In the event of splashes or contact with skin :**

Remove contaminated clothing and wash the skin thoroughly with soap and water or a recognised cleaner.

Watch out for any remaining product between skin and clothing, watches, shoes, etc.

If the contaminated area is widespread and/or there is damage to the skin, a doctor must be consulted or the patient transferred to hospital.

**In the event of swallowing :**

Do not give the patient anything orally.

In the event of swallowing, if the quantity is small (no more than one mouthful), rinse the mouth with water and consult a doctor.

Seek medical attention immediately, showing the label.

**4.2. Most important symptoms and effects, both acute and delayed**

N/A

**4.3. Indication of any immediate medical attention and special treatment needed**

N/A

**SECTION 5 : FIREFIGHTING MEASURES**

Non-flammable.

**5.1. Extinguishing media**

N/A

**5.2. Special hazards arising from the substance or mixture**

N/A

## TERECHAUX NHL2 - ASTIER 005

---

### 5.3. Advice for firefighters

No data available.

---

## SECTION 6 : ACCIDENTAL RELEASE MEASURES

### 6.1. Personal precautions, protective equipment and emergency procedures

Consult the safety measures listed under headings 7 and 8.

#### For non first aid worker

N/A

N/A

N/A

N/A

N/A

#### For first aid worker

First aid workers will be equipped with suitable personal protective equipment (See section 8).

N/A

N/A

N/A

N/A

N/A

### 6.2. Environmental precautions

Prevent any material from entering drains or waterways.

N/A

### 6.3. Methods and material for containment and cleaning up

Neutralise with an acidic decontaminant.

Retrieve the product by mechanical means (sweeping/vacuuming) : do not generate dust.

N/A

N/A

N/A

N/A

### 6.4. Reference to other sections

No data available.

---

## SECTION 7 : HANDLING AND STORAGE

Requirements relating to storage premises apply to all facilities where the substance is handled.

### 7.1. Precautions for safe handling

Always wash hands after handling.

Remove and wash contaminated clothing before re-using.

Provide emergency showers and eye wash stations will be required in facilities where the substance is handled constantly.

#### Fire prevention :

Handle in well-ventilated areas.

Prevent access by unauthorised personnel.

#### Recommended equipment and procedures :

For personal protection, see section 8.

Observe precautions stated on label and also industrial safety regulations.

Avoid inhaling dust.

Also provide breathing apparatus for certain short tasks of an exceptional nature and for emergency interventions.

In all cases, recover emissions at source.

Avoid eye contact with this substance at all times.

#### Prohibited equipment and procedures :

No smoking, eating or drinking in areas where the substance is used.

### 7.2. Conditions for safe storage, including any incompatibilities

N/A

N/A

N/A

## TERECHAUX NHL2 - ASTIER 005

N/A

### Storage

Keep out of reach of children.  
Keep the container tightly closed in a dry, well-ventilated place.

### Packaging

Always keep in packaging made of an identical material to the original.

### 7.3. Specific end use(s)

N/A

## SECTION 8 : EXPOSURE CONTROLS/PERSONAL PROTECTION

### 8.1. Control parameters

#### Occupational exposure limits :

N/A  
N/A  
N/A  
N/A

#### Derived no effect level (DNEL) or derived minimum effect level (DMEL):

LIME CHEMICAL HYDRAULIC (CAS: 85117-09-5)

Final use:	Workers.
Exposure method:	Inhalation.
Potential health effects:	Short term local effects.
DNEL :	4 mg of substance/m <sup>3</sup>
Exposure method:	Inhalation.
Potential health effects:	Long term local effects.
DNEL :	1 mg of substance/m <sup>3</sup>
Final use:	Consumers.
Exposure method:	Inhalation.
Potential health effects:	Short term local effects.
DNEL :	4 mg of substance/m <sup>3</sup>
Exposure method:	Inhalation.
Potential health effects:	Long term local effects.
DNEL :	1 mg of substance/m <sup>3</sup>

#### Predicted no effect concentration (PNEC):

LIME CHEMICAL HYDRAULIC (CAS: 85117-09-5)

Environmental compartment:	Soil.
PNEC :	1080 mg/l
Environmental compartment:	Fresh water.
PNEC :	490 µg/l

### 8.2. Exposure controls

#### Personal protection measures, such as personal protective equipment

Use personal protective equipment that is clean and has been properly maintained.

Store personal protective equipment in a clean place, away from the work area.

Never eat, drink or smoke during use. Remove and wash contaminated clothing before re-using. Ensure that there is adequate ventilation, especially in confined areas.

#### - Eye / face protection

Avoid contact with eyes.

Before handling powders or dust emission, wear mask goggles in accordance with standard EN166.

Prescription glasses are not considered as protection.

Provide eyewash stations in facilities where the product is handled constantly.

## TERECHAUX NHL2 - ASTIER 005

### - Hand protection

Wear suitable protective gloves in the event of prolonged or repeated skin contact.

Use suitable protective gloves that are resistant to chemical agents in accordance with standard EN ISO 374-1.

Gloves must be selected according to the application and duration of use at the workstation.

Protective gloves need to be selected according to their suitability for the workstation in question : other chemical products that may be handled, necessary physical protections (cutting, pricking, heat protection), level of dexterity required.

Type of gloves recommended :

- Natural latex
- PVC (polyvinyl chloride)

Recommended properties :

- Impervious gloves in accordance with standard EN ISO 374-2 (Type A)

### - Body protection

Avoid skin contact.

Wear suitable protective clothing.

These clothes shall be chosen to ensure there is no inflammation or irritation of the skin at the neck and wrist by contact with the powder

Suitable type of protective clothing :

Wear protective clothing against solid chemicals and particles suspended in the air (type 5) in accordance with standard EN13982-1/A1 to prevent skin contact.

Work clothing worn by personnel shall be laundered regularly.

After contact with the product, all parts of the body that have been soiled must be washed.

### - Respiratory protection

Avoid inhaling dust.

If the ventilation is insufficient, wear appropriate breathing apparatus.

When workers are confronted with concentrations that are above occupational exposure limits, they must wear a suitable, approved, respiratory protection device.

Type of FFP mask :

Wear a disposable half-mask dust filter in accordance with standard EN149/A1.

Category :

- FFP1

Anti-gas and vapour filter(s) (Combined filters) in accordance with standard EN14387 :

- A1 (Brown)

## SECTION 9 : PHYSICAL AND CHEMICAL PROPERTIES

### 9.1. Information on basic physical and chemical properties

#### Physical state

Physical state : Powder or dust.

#### Colour

Unspecified

#### Odour

Odour threshold : Not stated.

#### Melting point

Melting point/melting range : Not specified.

#### Freezing point

Freezing point / Freezing range : Not stated.

#### Boiling point or initial boiling point and boiling range

Boiling point/boiling range : Not specified.

#### Flammability

Flammability (solid, gas) : Not stated.

#### Lower and upper explosion limit

Explosive properties, lower explosivity limit (%) Not stated.

:

Explosive properties, upper explosivity limit (%) Not stated.

:

#### Flash point

Flash point interval : Not relevant.

**TERECHAUX NHL2 - ASTIER 005**

---

**Auto-ignition temperature**  
Self-ignition temperature : Not specified.

**Decomposition temperature**  
Decomposition point/decomposition range : Not specified.

**pH**  
pH : Not stated.  
pH (aqueous solution) : Strongly basic.  
Not stated.

**Kinematic viscosity**  
Viscosity : Not stated.

**Solubility**  
Water solubility : Insoluble.  
Fat solubility : Not stated.

**Partition coefficient n-octanol/water (log value)**  
Partition coefficient: n-octanol/water : Not stated.

**Vapour pressure**  
Vapour pressure (50°C) : Not relevant.

**Density and/or relative density**  
Density : > 1

**Relative vapour density**  
Vapour density : Not stated.

**9.2. Other information**  
No data available.

**9.2.1. Information with regard to physical hazard classes**  
No data available.

**9.2.2. Other safety characteristics**  
No data available.

---

**SECTION 10 : STABILITY AND REACTIVITY**

**10.1. Reactivity**

N/A

**10.2. Chemical stability**

This substance is stable under the recommended handling and storage conditions in section 7.

**10.3. Possibility of hazardous reactions**

N/A

N/A

**10.4. Conditions to avoid**

Avoid :

- formation of dusts

Dusts can form an explosive mixture with air.

**10.5. Incompatible materials**

N/A

N/A

**10.6. Hazardous decomposition products**

N/A

N/A

---

**SECTION 11 : TOXICOLOGICAL INFORMATION**

**11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008**

May cause irreversible damage to the skin; namely inflammation of the skin or the formation of erythema and eschar or oedema following exposure up to four hours.

May have irreversible effects on the eyes, such as tissue damage in the eye, or serious physical decay of sight, which is not fully reversible by the end of observation at 21 days.

Serious eye damage is typified by the destruction of cornea, persistent corneal opacity and iritis.

## TERECHAUX NHL2 - ASTIER 005

---

Respiratory tract irritation may occur, together with symptoms such as coughing, choking and breathing difficulties.

### 11.1.1. Substances

#### Acute toxicity :

LIME CHEMICAL HYDRAULIC (CAS: 85117-09-5)

Oral route :

LD50 > 2000 mg/kg bodyweight/day

Species : Rat

OECD Guideline 425 (Acute Oral Toxicity: Up-and-Down Procedure)

Dermal route :

LD50 < 2500 mg/kg bodyweight/day

Species : Rabbit

#### Serious damage to eyes/eye irritation :

LIME CHEMICAL HYDRAULIC (CAS: 85117-09-5)

Species : Rabbit

#### Germ cell mutagenicity :

LIME CHEMICAL HYDRAULIC (CAS: 85117-09-5)

No mutagenic effect.

OECD Guideline 471 (Bacterial Reverse Mutation Assay)

#### Carcinogenicity :

LIME CHEMICAL HYDRAULIC (CAS: 85117-09-5)

Carcinogenicity Test :

Negative.

No carcinogenic effect.

#### Specific target organ systemic toxicity - repeated exposure :

LIME CHEMICAL HYDRAULIC (CAS: 85117-09-5)

Oral route :

C = 36 mg/kg bodyweight/day

Duration of exposure : 90 days

## 11.2. Information on other hazards

---

## SECTION 12 : ECOLOGICAL INFORMATION

### 12.1. Toxicity

N/A

N/A

#### 12.1.1. Substances

LIME CHEMICAL HYDRAULIC (CAS: 85117-09-5)

Fish toxicity :

LC50 = 50.6 mg/l

Duration of exposure : 96 h

NOEC > 1 mg/l

Crustacean toxicity :

EC50 = 49.1 mg/l

Duration of exposure : 48 h

NOEC = 32 mg/l

Duration of exposure : 14 days

Algae toxicity :

NOEC > 1 mg/l

Aquatic plant toxicity :

ECr50 = 184.57 mg/l

Duration of exposure : 72 h

NOEC = 48 mg/l

Duration of exposure : 72 h

**TERECHAUX NHL2 - ASTIER 005**

---

**12.2. Persistence and degradability**

**12.2.1. Substances**

LIME CHEMICAL HYDRAULIC (CAS: 85117-09-5)

Biodegradability :

no degradability data is available, the substance is considered as not degrading quickly.

**12.3. Bioaccumulative potential**

No data available.

**12.4. Mobility in soil**

N/A

**12.5. Results of PBT and vPvB assessment**

No data available.

**12.6. Endocrine disrupting properties**

No data available.

**12.7. Other adverse effects**

No data available.

---

**SECTION 13 : DISPOSAL CONSIDERATIONS**

Proper waste management of the substance and/or its container must be determined in accordance with Directive 2008/98/EC.

**13.1. Waste treatment methods**

Do not pour into drains or waterways.

**Waste :**

Waste management is carried out without endangering human health, without harming the environment and, in particular without risk to water, air, soil, plants or animals.

Recycle or dispose of waste in compliance with current legislation, via a certified collector or company.

Do not contaminate the ground or water with waste, do not dispose of waste into the environment.

**Soiled packaging :**

Empty container completely. Keep label(s) on container.

Give to a certified disposal contractor.

---

**SECTION 14 : TRANSPORT INFORMATION**

Exempt from transport classification and labelling.

**14.1. UN number or ID number**

-

**14.2. UN proper shipping name**

-

**14.3. Transport hazard class(es)**

-

**14.4. Packing group**

-

**14.5. Environmental hazards**

-

**14.6. Special precautions for user**

-

**14.7. Maritime transport in bulk according to IMO instruments**

-

---

**SECTION 15: Regulatory information**

**15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture**

**Classification and labelling information included in section 2:**

The following regulations have been used:

- EU Regulation No. 1272/2008 amended by EU Regulation No. 2021/643 (ATP 16)
- EU Regulation No. 1272/2008 amended by EU Regulation No. 2021/849 (ATP 17)

**TERECHAUX NHL2 - ASTIER 005**

**Container information:**

Substance not restricted under Annex XVII of Regulation (EC) no. 1907/2006 (REACH):  
<https://echa.europa.eu/substances-restricted-under-reach>.

**Particular provisions :**

No data available.

**15.2. Chemical safety assessment**

No data available.

---

**SECTION 16 : OTHER INFORMATION**

Since the user's working conditions are not known by us, the information supplied on this safety data sheet is based on our current level of knowledge and on national and community regulations.

It is at all times the responsibility of the user to take all necessary measures to comply with legal requirements and local regulations.

The information in this safety data sheet must be regarded as a description of the safety requirements relating to the substance and not as a guarantee of the properties thereof.

**Wording of the phrases mentioned in section 3 :**

H315	Causes skin irritation.
H318	Causes serious eye damage.
H335	May cause respiratory irritation.

**Abbreviations and acronyms :**

LD50	The dose of a test substance resulting in 50% lethality in a given time period.
LC50	The concentration of a test substance resulting in 50% lethality in a given period.
EC50	The effective concentration of substance that causes 50% of the maximum response.
ECr50	The effective concentration of substance that causes 50% reduction in growth rate.
NOEC	The concentration with no observed effect.
REACH	Registration, Evaluation, Authorization and Restriction of Chemical Substances.
DNEL	Derived No-Effect Level
PNEC	Predicted No-Effect Concentration
UFI	Unique formulation identifier.
ADR	European agreement concerning the international carriage of dangerous goods by Road.
IMDG	International Maritime Dangerous Goods.
IATA	International Air Transport Association.
ICAO	International Civil Aviation Organisation
RID	Regulations concerning the International carriage of Dangerous goods by rail.
WGK	Wassergefahrdungsklasse (Water Hazard Class).
GHS05	Corrosion
GHS07	Exclamation mark
PBT	Persistent, bioaccumulable and toxic.
vPvB	Very persistent, very bioaccumulable.
SVHC	Substances of very high concern.