


AVAILABLE COLOURS

The production of LIME-RIGHT hydraulic lime mortars utilises natural kiln dried sands and as such our standard range is coloured by the sands used. Our standard colour is a light buff however we have other colours as part of standard range which can be seen below. Please note the colours shown are representative only.

We always advise customers to purchase requirements for a project at a single point, as sand is a natural product so maybe subject to colour variation. By purchasing all requirements at once you ensure sand from a single seam from the quarry this helps ensure minimal colour variation.



BUFF
(standard)



GREY



WHITE



RED

SPECIAL MIXES

We batch produce project specific mixes and as such offer both a colour matching service and advice with regard to aggregate content. Where this is offered each mix is carefully controlled and the exact proportions are recorded as part of our quality control system should additional material be required.

AVAILABLE QUANTITIES

At EcoRight we cater for all requirements and as such LIME-RIGHT products are available in a variety of sizes and configurations to suit your project. Starting with 22KG tubs, 25KG Bags, 1/2 ton, 1 ton all the way up to full silo's.



Hampstead Farm,
Binfield Heath,
Henley-on-Thames,
Oxfordshire RG9 4LG

Phone: +44 (0)845 873 3888

Fax: +44 (0)118 969 8822

E-mail: enquiries@ecoright.co.uk



- Low Carbon Footprint
- Recyclable Materials
- Sustainable Alternatives



Hydraulic Lime Mortars Mortar – Render – Plaster

EcoRight

EcoRight supply a comprehensive range of affordable ecologically sound building products. Both our Traditional Fat Limes and our LIME-RIGHT hydraulic mortars are well established and have been used by numerous premier construction companies.

The EcoRight range also includes fat lime mortars, as well as the premixed LIME-RIGHT hydraulic products within this brochure, this means our lime portfolio provides a solution for virtually every lime building application. All our products are manufactured utilising the highest quality natural ingredients and have been developed by our own craftsmen for maximum flexibility and ease of use.

The quality of our mortars has seen us supply thousands of properties right throughout the United Kingdom and beyond. Projects are wide ranging from high specification ecobuilds, renovations to out and out conservation projects. The traditional nature of production and the use of only natural sands has seen these products utilised extensively on English Heritage projects.

LIME-RIGHT

The LIME-RIGHT range has been developed to allow users to prepare highly durable lime mortars, plasters and renders without specialist knowledge. Using LIME-RIGHT takes the stress out of gauging appropriate materials for differing applications, saves enormous time and ensures excellent consistent results. It also removes the uncertainty associated with building with lime.

Key benefits of LIME-RIGHT Mortars

- Multiple uses - Mortar, render or plaster
 - Low cost solution
- Save Time - No mixing, gauging or sourcing additional materials
- Suitable for period properties to ecobuilds
 - Easy to use – simply add water
 - No specialised mixing - Use drum mixer
- Excellent performance characteristics
- Consistent mortar quality and mix ratios
 - Utilises appropriate sands only
- Prolonged workability - Less waste, retrospective modification possible
- Developed by craftsmen in site conditions



For your nearest stockist call: + 44 (0)845 873 3888

LIME-RIGHT Finish Plaster

LIME-RIGHT Finish Plaster has been designed to compliment the use of our other hydraulic products. Principally this is used to make up the finish coat on three coat plasterwork where LIME-RIGHT 350 moderate has been used as the base coat. Typically good plasterwork will consist of 2 layers of 9mm backing plaster (LIME-RIGHT 350) and a skim coat of 4mm LIME-RIGHT Finish Plaster, providing an overall thickness of 22mm.

For a more traditional look the LIME-RIGHT 350 is often left as a finish, as its higher aggregate content provides a coarse rough surface. LIME-RIGHT Finish Plaster however provides a perfectly smooth finish, which cannot be achieved by use of a single lime mortar product. Typically this is used on renovations to period property where the smooth appearance of a modern plaster is required but with all the advantages of flexibility and an ability to breathe which are characteristics of our hydraulic lime range.



Making Ecological Building Products Affordable

LIME-RIGHT 500 Eminent

LIME-RIGHT 500 Eminent is a very hard durable mortar used where high strength and fast setting is required. Typical applications include footings (all work below DPC), gable ends, chimney stacks, exposed brickwork and any area which is likely to be subject to inclement weather conditions. This product maybe used as a mortar, render or plaster.

Where a complete ecobuild or lime construction is required throughout, LIME-RIGHT 350 and LIME-RIGHT 500 are often used on different aspects of the project. Whilst the products are interchangeable, utilising the appropriate products is important to ensure the long term building integrity, if you are unsure which product to use call our office for fast expert advice.



For your nearest stockist call: + 44 (0)845 873 3888

Where do I use LIME-RIGHT products?

LIME-RIGHT products are suitable for many applications from period properties to ecobuilds. The only real exception is gypsum plasterboard and other non porous backgrounds.

As a general rule of thumb our LIME-RIGHT products are particularly suited to external mortar and render work. We would normally recommend our fat lime products for internal work. That said many of our customers utilise LIME-RIGHT internally and externally as it reduces the number of products needed on site plus it is easily understood by builders not familiar with lime building. If you are in doubt which product is appropriate for your job simply call our office direct for free advice on how to get the best job.

How do I use LIME-RIGHT products?

LIME-RIGHT has been developed to allow users to prepare lime mortars, plasters and renders perfectly without any specialist knowledge. Simply add clean water a little at a time as required ensuring that the mixture itself does not become saturated. Leave mixing in a conventional drum mixer for a further 20 minutes, to ensure the product is as workable as possible.

Advantages Over Cement Mortars

- Superb flexibility, vapour permeability & building longevity
- Reduces requirements for expansion joints
 - Breathes allowing use of other green building materials
- Lime mortar manufacture uses less energy than cement
 - Reabsorbs CO2 during curing
 - Enhances appearance of masonry
 - Recyclable



Making Ecological Building Products Affordable

LIME-RIGHT 200 Feeble

LIME-RIGHT 200 Feeble is characterised by its very soft nature and slower setting time. This product is used externally in conjunction with extremely soft bricks as its weak nature will ensure the mortar remains sacrificial even with the softest of bricks.

When 'knocked up' LIME-RIGHT 200 provides a very 'fatty' mix which whilst fairly sticky is extremely easy to use and rework up to 12 hours after the initial job, allowing mistakes to be corrected, or adaptations made after the initial work has been completed.

Internally LIME-RIGHT 200 Feeble is sometimes used as a plaster, particularly in damp conditions. It should be noted however that before utilising this product you should either be familiar with Lime, been instructed by someone appropriately qualified/ experienced or consulted us directly. The weakness of this product may not provide the durability you require, as an indication our LIME-RIGHT 350 product which is a general use product outsells this by a ratio of over 20 to 1.



For your nearest stockist call: + 44 (0)845 873 3888

LIME-RIGHT 350 Moderate

LIME-RIGHT 350 Moderate is by far our biggest seller and is often seen by our customers as the panacea for building with lime. Developed jointly by tradesmen and our product development team LIME-RIGHT 350 is widely used as a plaster, render and mortar. The product is equally at home on new builds and period properties.

The mortar is exceptionally easy to use and the amount of aggregate provides an outstanding finish for mortar and render where aesthetic is important. LIME-RIGHT 350 is often used as finish coat plaster where a more rustic feel is required, however due to the aggregate content, where a smooth finish is required, particularly on new builds or renovations, LIME-RIGHT finish plaster is used as a skim coat.

LIME-RIGHT 350 Moderate sets over a period of 15 to 20 days, but like all Lime building products continues to grow in strength over a much longer period. The product remains workable for up to 12 hours after being knocked up and the workable nature of the product makes it a favourite with lime building professionals plus it is easy for the novice to adapt to.



Making Ecological Building Products Affordable