

Full declaration of ingredients

Polyx®-Oil Tints

Binding agents:

- based on the re-growing vegetable raw materials sunflower oil, soybean oil and thistle oil

Waxes:

- based on the re-growing vegetable raw materials Carnauba wax and Candelilla wax
- paraffin

Solvents:

- aliphatic hydrocarbons = disaromatized white spirit (benzene free)

Earths:

- mineral origin, silicic acid and swelling clays (argillaceous rock)

Pigments:

- mineral pigments on the basis of ore; titanium dioxide and iron oxides (yellow, red, brown, black)
- organic pigments (yellow, red, green, blue) which are in compliance with German Industrial Norm DIN 53 160 (fast to perspiration and saliva) and Euro Norm EN 71.3 (safety of children's toys)

The used mineral pigments and earths have been purified from all poisonous ingredients (e.g. heavy metals) and are physiologically safe.

Additives:

- zinc-zirconium-cobalt-octoates (are obtained from the respective minerals and are lead-free)
- ketoximes
- polysiloxanes (on the basis of silicic acid)

The listed ingredients serve to a regular drying and the prevention of film formation (5 years storage stability) as well as a strong water repellency.

According to EG requirements Osmo Polyx®-Oil Tints does not have to be marked and will not emit physiologically harmful compounds to environment.

Osmo Polyx®-Oil Tints does not contain biocides nor preservatives. The dried finish is safe for man, animal and plant (in compliance with the German Industrial Norm DIN 53160 (fast to perspiration and saliva) and Euro Norm EN 71.3 (safety of children's toys)).

Further details concerning technical characteristics etc. can be obtained from the respective product information.

(Dated 07/2010)