

Printing date 23.09.2010 Revision: 23.09.2010

1 Identification of the substance/preparation and of the company/ undertaking

- · Product details
- · Trade name: KEIM Ecosil-Grund
- · Application of the substance / the preparation Silicate-based primer for interior use.
- · Manufacturer/Supplier:

KEIM MINERAL PAINTS LTD

Santok Building Deer Park Way

Donnington Wood

Telford

Shropshire

TF2 7NA

United Kingdom

Tel: +44 1952 231250 Fax: +44 1952 231251

Url: http://www.keimpaints.co.uk

· Further information obtainable from:

David Pratt

Telefon: +44 1952 231250
E-Mail: sales@keimpaints.co.uk
Information in case of emergency:

GBK Gefahrgut Büro GmbH

Emergency number: +49(0)6132/84463

2 Hazards identification

- · Hazard description: not applicable
- Information concerning particular hazards for human and environment:

The product does not have to be labelled due to the calculation procedure of the "General Classification guideline for preparations of the EU" in the latest valid version.

· Classification system:

The classification is according to the latest editions of the EU-lists, and extended by company and literature data.

3 Composition/information on ingredients

- · Chemical characterization
- · Description: Aqueos dispersion of acrylic ester, styrene and fillers
- · Dangerous components:

12001-26-2 Mica

2.5-10%

4 First aid measures

- · General information: No special measures required.
- · After inhalation: Quiet, fresh air, consult a doctor
- · After skin contact:

Wash off immediately with water and soap and rinse well afterwards.

If skin irritation continues, consult a doctor.

(Contd. on page 2)



Printing date 23.09.2010 Revision: 23.09.2010

Trade name: KEIM Ecosil-Grund

(Contd. of page 1)

· After eye contact:

Rinse opened eye for several minutes under running water. Then consult a doctor.

· After swallowing:

Do not induce vomiting; call for medical help immediately.

Rinse mouth and throat well with water.

5 Fire-fighting measures

· Suitable extinguishing agents:

CO2, powder or water spray. Fight larger fires with water spray or alcohol resistant foam. Product itself does not burn. Co-ordinate fire-fighting measures to the fire surroundings.

 Special hazards caused by the substance, its products of combustion or resulting gases:

Harmful and flammable vapour is released during pyrolysis.

In case of fire, the following can be released:

carbon oxide (COx)

acrylic monomers

- · Protective equipment: Wear self-contained respiratory protective device.
- · Additional information

In case of fire do not breath smoke, fumes and vapours.

Dispose of fire debris and contaminated fire fighting water in accordance with official regulations.

The product itself is inflammable. The remaining polymer after ablating of the aqueous phase is flammable.

6 Accidental release measures

· Person-related safety precautions:

Respect the protection rules (see section 7 a. 8).

Particular danger of slipping on leaked/spilled product.

· Measures for environmental protection:

Do not allow product to reach soil, sewage system or any water course.

Follow local governmental rules and regulations.

Dilute with plenty of water.

· Measures for cleaning/collecting:

Close drainage (Risk of blocking due to polymer precipitation)

Flush rests with sufficient amount of water.

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

Dispose of the material collected according to regulations.

Clear contaminated areas thoroughly.

· Additional information:

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

No dangerous substances are released.

GB -



Printing date 23.09.2010 Revision: 23.09.2010

Trade name: KEIM Ecosil-Grund

(Contd. of page 2)

7 Handling and storage

· Handling:

· Information for safe handling:

Keep receptacles tightly sealed.

Ensure good ventilation/exhaustion at the workplace.

See item 8 for information about suitable protective equipment and technical precautions. Respect the protection rules.

· Information about fire - and explosion protection:

The product is not flammable.

No special measures required.

· Storage:

· Requirements to be met by storerooms and receptacles:

Store only in the original receptacle.

Unsuitable material for receptacles and pipes:

iron and ferrous metals

Suitable material for receptacles and pipes:

Polyethylene

· Information about storage in one common storage facility:

Do not store together with acids.

· Further information about storage conditions:

Protect from frost.

Store in a cool place.

Protect from heat and direct sunlight.

Keep container tightly sealed.

· Storage class: 12

8 Exposure controls/personal protection

- · Additional information about design of technical facilities: No further data; see item 7.
- · Ingredients with limit values that require monitoring at the workplace:

12001-26-2 Mica

WEL Long-term value: 10* 0.8** mg/m³
*total inhalable **respirable

- · Additional information: The lists valid during the making were used as basis.
- · Personal protective equipment:
- General protective and hygienic measures:

Avoid contact with the eyes and skin.

Immediately remove all soiled and contaminated clothing

Do not inhale aerosols.

Wash hands before breaks and at the end of work.

· Respiratory protection:

Use suitable respiratory protective device only when aerosol or mist is formed.

Combination filter A/P

- · Protection of hands: Protective gloves
- · Material of gloves

suitable material e.g.:

Nitrile impregnated cotton-gloves

PVC or PE gloves

Recommended thickness of the material: ≥ 0.5 mm

(Contd. on page 4)



Printing date 23.09.2010 Revision: 23.09.2010

Trade name: KEIM Ecosil-Grund

(Contd. of page 3)

Butyl rubber, BR

Recommended thickness of the material: ≥ 0.7 mm

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

· Penetration time of glove material

Value for the permeation: Level ≥ 6 (480 min)

The determined penetration times according to EN 374 part III are not performed under practical conditions. Therefore a maximum wearing time, which corresponds to 50% of the penetration time, is recommended.

Eye protection: Tightly sealed goggles
Body protection: Protective work clothing

· General Information	
Form:	Pasty
Colour:	White
Odour:	slightly
· Change in condition	
Melting point/Melting range:	Undetermined.
Boiling point/Boiling range:	Undetermined.
· Flash point:	Not applicable.
· Self-igniting:	Product is not selfigniting.
· Danger of explosion:	Product does not present an explosion hazard.
· Explosion limits:	
Oxidizing properties	Not applicable
· Vapour pressure:	Not determined
· Density at 20°C:	1.45* g/cm ³
· Vapour density	Not applicable
· Evaporation rate	Not applicable
· Solubility in / Miscibility with	
water:	miscible
· pH-value at 20°C:	10 - 11*
Segregation coefficient (n-octanol/w	vater): Not applicable
· Viscosity:	
Dynamic:	Not determined
· Additional information:	* The values are for freshly produced materi and may change with the time.

-GB



Printing date 23.09.2010 Revision: 23.09.2010

Trade name: KEIM Ecosil-Grund

(Contd. of page 4)

10 Stability and reactivity

· Thermal decomposition / conditions to be avoided:

No decomposition if used according to specifications.

- Materials to be avoided: Acids
- · Dangerous reactions No dangerous reactions known.
- · Dangerous decomposition products:

At high temperature formation of flammable and harmful products.

In case of fire, the following can be released:

carbon oxide (COx) acrylic monomers

No hazardous decomposition products if stored and handled as prescribed.

11 Toxicological information

- · Acute toxicity:
- · LD/LC50 values relevant for classification: Not determined
- · Primary irritant effect:
- · on the skin: No irritant effect.
- on the eye: In case of longer exposure, slightly irritating effect is possible.
- · during swallowing: Irritant effect possible
- · Sensitization: No sensitizing effects known.
- · Other information (about experimental toxicology):

Experimental analysis are not available.

· Additional toxicological information:

The product is not subject to classification according to the calculation method of the General EU Classification Guidelines for Preparations as issued in the latest version.

When used and handled according to specifications, the product does not have any harmful effects to our experience and the information provided to us.

12 Ecological information

- · Information about elimination (persistence and degradability):
- · Other information:

Elimination in biological waste water treatment plants is effected by flocculation, precipitation and adsorption on sewage sludge.

- · Ecotoxical effects:
- · Other information: Pretreat waste water with help of precipitation.
- · Additional ecological information:
- · AOX-indication:

Due to the substance of content which do not include organic jointed halogens, the product can not take influence on the AOX-load of the waste water.

 According to the formulation contains the following heavy metals and compounds from the EU guideline NO. 76/464 EC:

The product contains TiO2.

· General notes:

At present there are no ecotoxicological assessments.

Water hazard class 1 (German Regulation) (Self-assessment): slightly hazardous for water

GB



Printing date 23.09.2010 Revision: 23.09.2010

Trade name: KEIM Ecosil-Grund

(Contd. of page 5)

13 Disposal considerations

- · Product:
- · Recommendation Disposal must be made according to official regulations.
- European waste catalogue

08 01 12 waste paint and varnish other than those mentioned in 08 01 11

- Uncleaned packaging:
- · Recommendation: Disposal must be made according to official regulations.
- · Recommended cleansing agents: Water, if necessary together with cleansing agents.

14 Transport information

- · Land transport ADR/RID (cross-border)
- · ADR/RID class:
- · Maritime transport IMDG:
- · IMDG Class:
- · Air transport ICAO-TI and IATA-DGR:
- · ICAO/IATA Class: -
- · Transport/Additional information:

No dangerous good in sense of these transport regulations.

15 Regulatory information

· Labelling according to EU guidelines:

The product is not subject to classification according to the calculation methods of the "General Classification Guideline for Preparations of the EU" as issued in the latest valid version.

Observe the general safety regulations when handling chemicals.

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

- · Department issuing MSDS: Product safety department
- · Contact: Mrs. Popescu

GB