

Printing date 30.09.2010 Revision: 30.09.2010

## 1 Identification of the substance/preparation and of the company/ undertaking

- · Product details
- · Trade name: KEIM Optil
- · Application of the substance / the preparation Sol-silicate paint for use interior wall.
- · Manufacturer/Supplier:

KEIM MINERAL PAINTS LTD

Santok Building Deer Park Way

Donnington Wood

Telford

Shropshire

TF2 7NA

United Kingdom

Tel: +44 1952 231250 Fax: +44 1952 231251

Url: http://www.keimpaints.co.uk

· Further information obtainable from:

**David Pratt** 

Telefon: +44 1952 231250
E-Mail: sales@keimpaints.co.uk
Information in case of emergency:

GBK Gefahrgut Büro GmbH

Emergency number: +49(0)6132/84463

#### 2 Hazards identification

- · Hazard description: not applicable
- · Information concerning particular hazards for human and environment:

The product does not have to be labelled due to the calculation procedure of the "General Classification guideline for preparations of the EU" in the latest valid version.

· Classification system:

The classification is according to the latest editions of the EU-lists, and extended by company and literature data.

### 3 Composition/information on ingredients

- · Chemical characterization
- · **Description:** Sol-silicate paint
- · Dangerous components:

12001-26-2 Mica

2.5-10%

#### 4 First aid measures

- · General information: No special measures required.
- After inhalation: Supply fresh air; consult doctor in case of complaints.
- · After skin contact:

Immediately wash with water and soap and rinse thoroughly.

If skin irritation continues, consult a doctor.

(Contd. on page 2)



Printing date 30.09.2010 Revision: 30.09.2010

Trade name: KEIM Optil

· After eye contact:

(Contd. of page 1)

Rinse opened eye for several minutes under running water. Then consult a doctor.

After swallowing:

Do not induce vomiting; call for medical help immediately.

Rinse out mouth and then drink plenty of water.

### 5 Fire-fighting measures

· Suitable extinguishing agents:

CO2, powder or water spray. Fight larger fires with water spray or alcohol resistant foam.

· Special hazards caused by the substance, its products of combustion or resulting gases:

In case of fire, the following can be released:

carbon oxide (COx)

silicon dioxid (SiO2)

- · Protective equipment: Wear self-contained respiratory protective device.
- · Additional information

In case of fire do not breath smoke, fumes and vapours.

Dispose of fire debris and contaminated fire fighting water in accordance with official regulations.

#### 6 Accidental release measures

· Person-related safety precautions:

Respect the protection rules (see section 7 a. 8).

Particular danger of slipping on leaked/spilled product.

Ensure adequate ventilation

Avoid contact with skin and eyes.

· Measures for environmental protection:

Follow local governmental rules and regulations.

Do not allow to enter sewers/ surface or ground water.

· Measures for cleaning/collecting:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust). Dispose of the material collected according to regulations.

Clear contaminated areas thoroughly.

· Additional information:

See Section 13 for disposal information.

No dangerous substances are released.

### 7 Handling and storage

- · Handling:
- · Information for safe handling:

Keep receptacles tightly sealed.

Prevent formation of aerosols.

See item 8 for information about suitable protective equipment and technical precautions. Respect the protection rules.

· Information about fire - and explosion protection: No special measures required.

(Contd. on page 3)



Printing date 30.09.2010 Revision: 30.09.2010

Trade name: KEIM Optil

(Contd. of page 2)

· Storage:

· Requirements to be met by storerooms and receptacles:

Store only in the original receptacle.

· Information about storage in one common storage facility:

Do not store together with acids.

· Further information about storage conditions:

Store in a cool place.

Protect from frost.

Protect from heat and direct sunlight.

Keep container tightly sealed.

· Storage class: 12

### 8 Exposure controls/personal protection

· Additional information about design of technical facilities: No further data; see item 7.

· Ingredients with limit values that require monitoring at the workplace:

12001-26-2 Mica

WEL Long-term value: 10\* 0.8\*\* mg/m³
\*total inhalable \*\*respirable

total ilinalable Tespirable

- · Additional information: The lists valid during the making were used as basis.
- · Personal protective equipment:
- · General protective and hygienic measures:

Immediately remove all soiled and contaminated clothing

Avoid contact with the eyes and skin.

Do not inhale aerosols.

Wash hands before breaks and at the end of work.

· Respiratory protection:

Use suitable respiratory protective device only when aerosol or mist is formed.

Filter: P

· Protection of hands: Protective gloves

· Material of gloves

suitable material e.g.:

Nitrile impregnated cotton-gloves

Butyl rubber, BR

Recommended thickness of the material: ≥ 0.5 mm

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

· Penetration time of glove material

Value for the permeation: Level  $\geq$  6 (480 min)

The determined penetration times according to EN 374 part III are not performed under practical conditions. Therefore a maximum wearing time, which corresponds to 50% of the penetration time, is recommended.

- · Eye protection: Safety glasses
- · Body protection: Protective work clothing

- GF



Printing date 30.09.2010 Revision: 30.09.2010

Trade name: KEIM Optil

(Contd. of page 3)

Pasty
Different according to colouring
Characteristic
Undetermined.
Undetermined.
Not applicable.
Product is not selfigniting.
Product does not present an explosion hazard.
Not applicable.
23 hPa
1.58 * g/cm <sup>3</sup>
non-applicable
non-applicable
miscible
11 *
rater): non-applicable
2100-2800 * mPas
* The values are for freshly produced materi

## 10 Stability and reactivity

- · Thermal decomposition / conditions to be avoided:
- No decomposition if used according to specifications.
- · Materials to be avoided: Acids
- · Dangerous reactions No dangerous reactions known.
- · Dangerous decomposition products:

In case of fire, the following can be released:

carbon oxide (COx) silicon dioxid (SiO2)

No hazardous decomposition products if stored and handled as prescribed.

## 11 Toxicological information

- · Acute toxicity:
- · LD/LC50 values relevant for classification: Not determined

(Contd. on page 5)



Printing date 30.09.2010 Revision: 30.09.2010

Trade name: KEIM Optil

(Contd. of page 4)

· Primary irritant effect:

- on the skin: Frequent persistent contact with the skin may cause skin irritation.
- on the eye: In case of longer exposure, irritating effect is possible.
- · during swallowing: Irritant effect possible
- · Sensitization: No sensitizing effects known.
- · Other information (about experimental toxicology):

Experimental analysis are not available.

· Additional toxicological information:

The product is not subject to classification according to the calculation method of the General EU Classification Guidelines for Preparations as issued in the latest version.

When used and handled according to specifications, the product does not have any harmful effects to our experience and the information provided to us.

## 12 Ecological information

- · Ecotoxical effects:
- · Other information:

In appropriate sewage treatment plants an extensively elimination off water due to biological degrading, mechanical separation and stripping.

- · Additional ecological information:
- · AOX-indication: The product has no influence on the AOX of the waste water.
- · According to the formulation contains the following heavy metals and compounds from the EU guideline NO. 76/464 EC:

The product contains TiO2.

General notes:

Water hazard class 1 (German Regulation) (Self-assessment): slightly hazardous for water

#### 13 Disposal considerations

- · Product:
- · Recommendation

Smaller quantities can be disposed of with household waste.

Disposal must be made according to official regulations.

· European waste catalogue

08 01 12 waste paint and varnish other than those mentioned in 08 01 11

- · Uncleaned packaging:
- · Recommendation: Disposal must be made according to official regulations.
- · Recommended cleansing agents: Water, if necessary together with cleansing agents.

#### 14 Transport information

- · Land transport ADR/RID (cross-border)
- · ADR/RID class: -
- Maritime transport IMDG:
- · IMDG Class:

(Contd. on page 6)



Printing date 30.09.2010 Revision: 30.09.2010

Trade name: KEIM Optil

(Contd. of page 5)

- · Air transport ICAO-TI and IATA-DGR:
- · ICAO/IATA Class: -
- · Transport/Additional information:

No dangerous good in sense of these transport regulations.

### 15 Regulatory information

· Labelling according to EU guidelines:

The product is not subject to classification according to the calculation methods of the "General Classification Guideline for Preparations of the EU" as issued in the latest valid version.

Observe the general safety regulations when handling chemicals.

### 16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

- · Department issuing MSDS: Product safety department
- · Contact: Mrs. Popescu

GB