

Revision: 26.07.2012

Printing date 26.07.2012

## SECTION 1: Identification of the substance/mixture and of the company/undertaking

- · 1.1 Product identifier
- · Trade name: KEIM Soldalit-ME
- · 1.2 Relevant identified uses of the substance or mixture and uses advised against
- · Application of the substance / the preparation

Highly specialised sol-silicate exterior paint with a photocatalytic action.

- · 1.3 Details of the supplier of the safety data sheet
- · Manufacturer/Supplier:

KEIM MINERAL PAINTS LTD

Santok Building

Deer Park Way

**Donnington Wood** 

Telford

Shropshire

TF2 7NA

**United Kingdom** Tel: +44 1952 231250

Fax: +44 1952 231251

Url: http://www.keimpaints.co.uk

· Further information obtainable from:

**David Pratt** 

Telefon: +44 1952 231250 E-Mail: sales@keimpaints.co.uk · 1.4 Emergency telephone number:

GBK Gefahrgut Büro GmbH

Emergency number: +49(0)6132/84463

#### **SECTION 2: Hazards identification**

- · 2.1 Classification of the substance or mixture
- · Classification according to Directive 67/548/EEC or Directive 1999/45/EC Void
- · Information concerning particular hazards for human and environment: Void
- · Classification system:

The classification is according to the latest editions of the EU-lists, and extended by company and literature data.

- · 2.2 Label elements
- · Labelling according to EU guidelines:

No markings required.

Observe the general safety regulations when handling chemicals.

- · 2.3 Other hazards Alkaline product. Avoid contact with skin and eyes.
- · Results of PBT and vPvB assessment
- · PBT: Not applicable.
- · vPvB: Not applicable.

### **SECTION 3: Composition/information on ingredients**

- · 3.2 Mixtures
- · Description: Sol-silicate paint

(Contd. on page 2)



Printing date 26.07.2012 Revision: 26.07.2012

Trade name: KEIM Soldalit-ME

		(Contd. of page 1)
· Dangerous compor	nents:	
CAS: 7727-43-7 EINECS: 231-784-4	barium sulphate, natural substance with a Community workplace exposure limit	2.5-10%
CAS: 12001-26-2	Mica substance with a Community workplace exposure limit	2.5-10%

### **SECTION 4: First aid measures**

- · 4.1 Description of first aid measures
- · General information:

No special measures required.

When seeing the doctor we suggest to present this safety data sheet.

- · After inhalation: Supply fresh air; consult doctor in case of complaints.
- · After skin contact:

Wash off immediately with water and soap and rinse well afterwards.

If skin irritation continues, consult a doctor.

· After eye contact:

Rinse opened eye for several minutes under running water. Then consult a doctor.

· After swallowing:

Rinse mouth and throat well with water.

Do not induce vomiting; call for medical help immediately.

 $\cdot$  4.2 Most important symptoms and effects, both acute and delayed

No further relevant information available.

• 4.3 Indication of any immediate medical attention and special treatment needed No further relevant information available.

## **SECTION 5: Firefighting measures**

- · 5.1 Extinguishing media
- · Suitable extinguishing agents:

Product itself does not burn. Co-ordinate fire-fighting measures to the fire surroundings.

· 5.2 Special hazards arising from the substance or mixture

In case of fire, the following can be released:

silicon dioxid (SiO2)

carbon oxide (COx)

- · 5.3 Advice for firefighters
- · Protective equipment: Wear self-contained respiratory protective device.
- · Additional information

In case of fire do not breath smoke, fumes and vapours.

Dispose of fire debris and contaminated fire fighting water in accordance with official regulations.

#### **SECTION 6: Accidental release measures**

 $\cdot$  6.1 Personal precautions, protective equipment and emergency procedures

Respect the protection rules (see section 7 a. 8).

Ensure adequate ventilation

Avoid contact with skin and eyes.

(Contd. on page 3)



Printing date 26.07.2012 Revision: 26.07.2012

Trade name: KEIM Soldalit-ME

(Contd. of page 2)

#### · 6.2 Environmental precautions:

Do not allow product to reach soil, sewage system or any water course.

Follow local governmental rules and regulations.

#### · 6.3 Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

Dispose of the material collected according to regulations.

Clear contaminated areas thoroughly.

Flush rests with sufficient amount of water.

#### · 6.4 Reference to other sections

No dangerous substances are released.

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

### **SECTION 7: Handling and storage**

#### · 7.1 Precautions for safe handling

Keep receptacles tightly sealed.

Avoid contact with skin and eyes.

See item 8 for information about suitable protective equipment and technical precautions. Respect the protection rules.

- · Information about fire and explosion protection: No special measures required.
- · 7.2 Conditions for safe storage, including any incompatibilities
- · Storage:
- · Requirements to be met by storerooms and receptacles:

Store only in the original receptacle.

Information about storage in one common storage facility:

Do not store together with acids.

· Further information about storage conditions:

Store in a cool place.

Protect from frost.

Protect from heat and direct sunlight.

- · Storage class: 12
- · 7.3 Specific end use(s) No further relevant information available.

## **SECTION 8: Exposure controls/personal protection**

#### 8.1 Control parameters

· Ingredients v	with limit <b>'</b>	values that	require	monitoring	at the	workplace:
-----------------	---------------------	-------------	---------	------------	--------	------------

### 7727-43-7 barium sulphate, natural

WEL Long-term value: 10\* 4\*\* mg/m³ \*inhalable dust \*\*respirable dust

#### 12001-26-2 Mica

WEL Long-term value: 10\* 0.8\*\* mg/m³
\*total inhalable \*\*respirable

· Additional information: The lists valid during the making were used as basis.

(Contd. on page 4)



Printing date 26.07.2012 Revision: 26.07.2012

Trade name: KEIM Soldalit-ME

(Contd. of page 3)

- · 8.2 Exposure controls
- · Personal protective equipment:
- · General protective and hygienic measures:

Avoid contact with the eyes and skin.

Do not inhale aerosols.

· Respiratory protection:

Use suitable respiratory protective device only when aerosol or mist is formed.

Filter: P

· Protection of hands: Protective gloves

· Material of gloves

suitable material e.g.:

Nitrile impregnated cotton-gloves

PVC or PE gloves

Recommended thickness of the material:  $\geq 0.5 \text{ mm}$ 

Butyl rubber, BR

· Explosion limits:

**Oxidizing properties** 

Recommended thickness of the material: ≥ 0.7 mm

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

· Penetration time of glove material

Value for the permeation: Level  $\geq$  6 (480 min)

The determined penetration times according to EN 374 part III are not performed under practical conditions. Therefore a maximum wearing time, which corresponds to 50% of the penetration time, is recommended.

· Eye protection: Goggles recommended during refilling

**SECTION 9: Physical and chemical properties** 

· Body protection: Protective work clothing

9.1 Information on basic physical ar     General Information	nd chemical properties
· Appearance: Form: Colour: · Odour:	Fluid Different according to colouring Odourless
· pH-value at 20°C:	11*
<ul> <li>Change in condition</li> <li>Melting point/Melting range:</li> <li>Boiling point/Boiling range:</li> </ul>	Undetermined. Undetermined.
Flash point:	Not applicable.
Self-igniting:	Product is not selfigniting.
· Danger of explosion:	Product does not present an explosion hazard.

Not applicable.

(Contd. on page 5)



Printing date 26.07.2012 Revision: 26.07.2012

Trade name: KEIM Soldalit-ME

(Contd. of page 4)

• Density at 20°C: 1.6\* g/cm³

Vapour density non-applicableEvaporation rate non-applicable

· Solubility in / Miscibility with

water: miscible

· Segregation coefficient (n-octanol/water): non-applicable

· Viscosity:

**Dynamic at 20°C:** 1000-1800\* mPas

• 9.2 Other information \* The values are for freshly produced material

and may change with the time.

## **SECTION 10: Stability and reactivity**

- · 10.1 Reactivity
- 10.2 Chemical stability
- Thermal decomposition / conditions to be avoided:

No decomposition if used according to specifications.

- 10.3 Possibility of hazardous reactions No dangerous reactions known.
- 10.4 Conditions to avoid No further relevant information available.
- · 10.5 Incompatible materials: Acids
- · 10.6 Hazardous decomposition products:

In case of fire, the following can be released:

silicon dioxid (SiO2)

carbon oxide (COx)

No hazardous decomposition products if stored and handled as prescribed.

### **SECTION 11: Toxicological information**

- · 11.1 Information on toxicological effects
- · Acute toxicity:
- · LD/LC50 values relevant for classification: Not determined
- · Primary irritant effect:
- · on the skin: Frequent persistent contact with the skin may cause skin irritation.
- on the eye: In case of longer exposure, irritating effect is possible.
- · during swallowing: Irritant effect possible
- · Sensitization: No sensitizing effects known.
- · Other information (about experimental toxicology):

Experimental analysis are not available.

Additional toxicological information:

The product is not subject to classification according to the calculation method of the General EU Classification Guidelines for Preparations as issued in the latest version. When used and handled according to specifications, the product does not have any harmful effects to our experience and the information provided to us.

GB



Printing date 26.07.2012 Revision: 26.07.2012

Trade name: KEIM Soldalit-ME

(Contd. of page 5)

## **SECTION 12: Ecological information**

- · 12.1 Toxicity
- · Aquatic toxicity: No further relevant information available.
- 12.2 Persistence and degradability No further relevant information available.
- 12.3 Bioaccumulative potential No further relevant information available.
- 12.4 Mobility in soil No further relevant information available.
- · Additional ecological information:
- · AOX-indication:

According to our standard of knowledge the product does not contain any organic bounded halogen.

The product has no influence on the waste water's AOX-value.

· According to the formulation contains the following heavy metals and compounds from the EU guideline NO. 76/464 EC:

The product contains TiO2, BaSO4, ZnS.

· General notes:

At present there are no ecotoxicological assessments.

Water hazard class 1 (German Regulation) (Self-assessment): slightly hazardous for water

- · 12.5 Results of PBT and vPvB assessment
- · **PBT:** Not applicable.
- · vPvB: Not applicable.
- 12.6 Other adverse effects No further relevant information available.

## **SECTION 13: Disposal considerations**

- · 13.1 Waste treatment methods
- · Recommendation Disposal must be made according to official regulations.
- · European waste catalogue

08 01 12 waste paint and varnish other than those mentioned in 08 01 11

- Uncleaned packaging:
- · Recommendation: Disposal must be made according to official regulations.
- Recommended cleansing agents: Water, if necessary together with cleansing agents.

· 14.1 UN-Number		
· ADR, IMDG, IATA	Void	
· 14.2 UN proper shipping name		
ADR, IMDG, IATA	Void	
14.3 Transport hazard class(es)		
ADR, IMDG, IATA		
Class	Void	
14.4 Packing group		
· ADR, IMDG, IATA	Void	



Printing date 26.07.2012 Revision: 26.07.2012

Trade name: KEIM Soldalit-ME

	(Contd. of page 6
<ul><li>14.5 Environmental hazards:</li><li>Marine pollutant:</li></ul>	No
· 14.6 Special precautions for user	Not applicable.
· 14.7 Transport in bulk according to Annell of MARPOL73/78 and the IBC Code	Not applicable.
· Transport/Additional information:	No dangerous good in sense of these transport regulations.

# **SECTION 15: Regulatory information**

- · 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture
- · National regulations:
- · Waterhazard class: Water hazard class 1 (Self-assessment): slightly hazardous for water.
- · Product-Code/Giscode: M-SK01
- · 15.2 Chemical safety assessment:

A Chemical Safety Assessment has not been carried out.

## **SECTION 16: Other information**

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

- · Department issuing MSDS: Product safety department
- · Contact: Mrs. Popescu

GB ·