

Material Safety data sheet

according to EU regulation Nr. 453/2010



created: 24.06.2014 revised: 12.09.2014
last printed: 12.09.2014

Article 1: Identification of the substance and the company

1.1 Product identifier

Trade name
PAVADRY

1.2 Product description

Fibreboard for the internal insulation of exterior walls, coated with a layer of MDF.

1.3 Details of the supplier of the data sheet

Supplier
Pavatex SA
Route de la Pisciculture 37
CH-1701 Fribourg

Hotline

Technology Centre (TC) +41 (26) 426 35 40

1.4 Emergency telephone number

Head of Quality & Projects +41 (26) 426 35 40

Article 2: Hazards identification

2.1 Classification and labelling in accordance with regulation (EC) N° 1272/2008

This product is not subject to declaration

2.2 Label element in accordance with regulation (EC) N° 1272/2008

-

2.3 Other hazards

While processing, the same precautions against dust must be taken as if solid wood was machined.

Article 3: Composition / information on ingredients

3.1 Dangerous components

The MDF Panel contains <0.1M% of Formaldehyde. Formaldehyde is toxic if inhaled and swallowed. Product is conform with the European E1 emission class.

3.2 Non dangerous components

low density wood fibre board

Coniferous wood: 90.48%
Silicates: 4.7%
PVAc: 2.4%
Starch: 1.7%
Flocculant: 0.02%
Aluminium sulphate: 0.7%

medium density wood fibre board

Wood fibres 75 – 95%
Bark content < 10%
HF & MHF Resin 8-15%
Hydrophobic agent 0.3 – 2%

does not contain Scrap Wood

PAVATEX SA

Rte de la Pisciculture 37 T +41 (0)26 426 31 11
CH-1701 Fribourg F +41 (0)26 426 32 09
Seite 1 von 5

Knonauerstrasse 51-53 T +41 (0)26 426 35 00
CH-6330 Cham F +41 (0)26 426 35 45

www.pavatex.ch
info@pavatex.ch

Material Safety data sheet

according to EU regulation Nr. 453/2010



created: 24.06.2014 revised: 12.09.2014
last printed: 12.09.2014

Article 4: First aid measure

4.1 General information

No particular hazards
The same precautions against dust must be taken as if solid timber is processed.

4.2 Inhalation

Abrasive action may cause wood dust to be generated that may be an irritant to the respiratory system. Fibreboard can emit small amounts of gas (formaldehyde) that decreases over time.

4.3 Eye contact

Remove contact lenses and rinse the eye properly for about 15min.

4.4 Skin contact

Clean dust with water. Product may be an irritant to wood sensitive individuals.

4.5 Ingestion

Non-applicable

Article 5: Fire-fighting measures

5.1 Suitable extinguishing media

Extinguishing agent must be adapted to surrounding fire since this product does not require any special extinguishing agent.

5.2 Extinguishing agent that must not be used

Non

5.3 Advice for fire fighters

Self-contained breathing apparatus must be used.
Released flue gas in case of fire:

- Carbon monoxide (CO)
- Carbon dioxide (CO₂)
- Nitrogen oxides (NO_x)

Article 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

If the Dust concentration exceeds 900g/m³ there is a risk of dust explosion.
The usage of protective glasses is recommended.

6.2 Environmental precautions

None

6.3 Methods and material for containment and cleaning up

Remove dust mechanically, preferably with vacuum cleaner. Do not use pressurized air.

Material Safety data sheet

according to EU regulation Nr. 453/2010



created: 24.06.2014 revised: 12.09.2014
last printed: 12.09.2014

Article 7: Handling and storage

7.1 Advice on safe handling

No special measures required

7.2 Conditions for safe storage, including any incompatibilities

Storage class 11; combustible solid matter

Take into consideration the generally recognised codes of practice of fire preventions.

auto ignition if surrounding temperatures exceed 200°C

Keep dry and store on a flat surface

7.3 Specific use

Wood fibre insulation board suitable for interior insulation of external walls

Article 8: Exposure controls / personal protection

8.1 Exposure limits

Occupational exposure limits defined by the EU must be considered

TRGS 553 / max. 2mg/m³

8.2 Delimitation and monitoring of environmental exposition

Breathing protection: Mask type FFP2 if cutting

Eye protection: usual safety measures if cutting

Protective gloves: usual safety measures if cutting, no special material required

Personal protection: usual safety measures

A dedusting system is highly recommended if the product is machined.

Article 9: Physical and chemical properties

9.1 General information

Appearance: bright yellow till brown

Aggregate state: solid panel

Smell: like wood

9.2 Safety related information

Risk of explosion: if concentration of dust exceeds 900g/m³

Burning point: ≥ 200°C

9.3 Additional information

Density of low density wood fibre board: 175 ± 15 kg/m³

Density of medium density top layer: 740 ± 40 kg/m³

Article 10: Stability and reactivity

10.1 Conditions to be avoided

Contact with open fire

10.2 Hazardous reactions

Surface-active Agents (Tenside) can deteriorate the hydrophobising of the product.

Some wood preservative agents contain tensides.

Localised flattening will stain zinc sheet irreversibly.

PAVATEX SA

Rte de la Pisciculture 37 T +41 (0)26 426 31 11
CH-1701 Fribourg F +41 (0)26 426 32 09
Seite 3 von 5

Knonauerstrasse 51-53 T +41 (0)26 426 35 00
CH-6330 Cham F +41 (0)26 426 35 45

www.pavatex.ch
info@pavatex.ch

Material Safety data sheet

according to EU regulation Nr. 453/2010



created: 24.06.2014 **revised:** 12.09.2014
last printed: 12.09.2014

10.3 Hazardous decomposition products

If stored and handled properly, no hazardous decomposing products are known

Article 11: Toxicological information

11.1 Toxicokinetics, metabolism and distribution

Not determined

11.2 Acute toxicity

Non

11.3 Sensitization

Wood dust can cause asthma

11.4 Repeated dose toxicity

Not determined

11.4 Carcinogenicity

Wood dust is under suspicion to be a carcinogenetic agent

Article 12: Ecological information

12.1 Eco-toxicity

Non

Article 13: Disposal consideration

13.1 Disposal / Product

Under consideration of the local provisions burn in a waste combustion dump
Waste code according to the hazardous waste list directive 03 01 05 for

13.2 Disposal / Packaging

PE- foil (Waste code 15 01 02)
pallet (wood) (Waste code 15 01 03)
Under consideration of the local provisions burn in a waste combustion dump

Article 14: Transport information

14.1 Classification GGVSEB

No hazardous good according to this provision

Material Safety data sheet

according to EU regulation Nr. 453/2010



created: 24.06.2014 revised: 12.09.2014
last printed: 12.09.2014

Article 15: Regulatory information

15.1 Chemical safety assessment

Not required

15.2 Labelling according to EU-Guideline

Not required

15.3 The determining risk for labelling

S-phrases: S 22 do not breath dust
S 41 do not breath fumes

Article 16: Other information

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered as warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text. If no other written agreement is signed, the commercial terms and conditions, which are not changed or overridden by this safety sheet, are valid. Changes in this document and the product documentation itself, in particular due to changes in statutory regulations, are possible at any time and can be made without any notice. For further information please contact Pavatex.

PAVATEX SA

Rte de la Pisciculture 37 T +41 (0)26 426 31 11
CH-1701 Fribourg F +41 (0)26 426 32 09
Seite 5 von 5

Knonaerstrasse 51-53 T +41 (0)26 426 35 00
CH-6330 Cham F +41 (0)26 426 35 45

www.pavatex.ch
info@pavatex.ch